

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7



16K→		Size marker										
	—	Stapes surgery 7 before surgery										
	+	Stapes surgery 7										
	+											
	+	Suspected perilymph fistula 5										
	+	Suspected perilymph fistula 6										
	+											
	+	Suspected perilymph fistula 7										
	+	Suspected perilymph fistula 8										
	+											
	+	Stapes surgery 8										
		Size marker										

Fig. 8





Fig. 9



Size marker

- + Cochlear implant 3
- Meniere's disease 3
- + Suspected perilymph fistula 5
- + Suspected perilymph fistula 6
- + Suspected perilymph fistula 7
- + Suspected perilymph fistula 8
- Suspected perilymph fistula 4
- + Stapes surgery 9
- + Stapes surgery 7

Fig. 10

10/517778

0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0
 MSAAWIPALGLGVCLLLPGPAGSEGAAPIAITCFTIRGLDIRKEKADVLC
 ⇒63 36-50 (anti LCCL antibody)

50 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0
 PGGCPLEEFVYGNIVYASVSSICGAAVHRGVISNSGGPVRVYSLPGREN
 63-83 (anti LCCL 1 antibody) 95-111

100 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0
 YSSVDANGIQSQMLSRWSASFTVTKGKSSSTQEATGQAVSTAHPPTGKRLK
 (anti LCCL 2 antibody) 114-127 (anti LCCL 3 antibody) ⇒p44 137-151 (anti p63/44 antibody)

150 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0
 K~~TPEKKTGNKDCKADIAFLIDGSFNIGQRRFN~~LQKNFVGKVALMLGIGTE
 ⇒p40 163-181 (anti p63/44/40 antibody)

200 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0
 GPHVGLVQASEHPKIEFYLNFTSAKDVLF~~AIKEV~~GFRGGSNTGKALKH